


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

THE COTTAGE GARDEN

N. I. W. KRIEK



Specialties:

FINE EVERGREENS
ORIENTAL FLOWERING TREES
NEW AND RARE SHRUBS
FRENCH HYBRID LILACS
HERBACEOUS—AND TREE PEONIES
IMPORTED BULBS

Office and Main Plant
West St. Joseph St.
Telephone 29021

LANSING, MICHIGAN

SPECIAL QUOTATION

Spring 1943

TO THE TRADE

All prices are subject to change without notice and subject to stock being unsold on receipt of your order.

Plants Freshly Dug.
We do not store.

FINE EVERGREENS

Our Evergreens are in a rich sandy loam soil. They are either root pruned or transplanted at the proper time and we dig with good solid balls. Plants offered are all of highest grade.

| | | | | 10 | rate | C | rate |
|-----|-------------|----------------------------|------------------------|-----------------|-------|---|------|
| | | | | | each | | each |
| 40 | JUNIPERUS | chinensis | | 3-4' | 1.95 | | 1.75 |
| 25 | " | " | columnaris | 3-4' | 3.00 | | 2.75 |
| 25 | " | " | viridis | 4-5' | 3.75 | | 3.50 |
| 40 | " | " | Keteleeri | 3½-4' | 3.25 | | 3.00 |
| 10 | " | " | mascula | 2½-3' | 2.00 | | |
| 35 | " | " | " | 3-4' | 3.25 | | 3.00 |
| 10 | " | " | " | 4-5' | 3.95 | | |
| 10 | " | " | " | 5-6' | 4.50 | | |
| 10 | " | " | " | 6-7' | 5.00 | | |
| 200 | " | " | Pfitzeriana, spr. | 1½-2' | 1.65 | | 1.50 |
| 200 | " | " | " | 2-2½' | 2.50 | | 2.25 |
| 20 | " | " | " | upr. 4-5' | 7.50 | | |
| 25 | " | " | " | compacta 15-18" | 1.65 | | 1.50 |
| 25 | " | " | " | " 1½-2' | 2.00 | | 1.90 |
| 12 | " | " | " | " 2½' | 3.50 | | |
| 12 | " | " | Smithi | 1½-2' | 1.25 | | |
| 150 | " | communis | depressa plumosa | 12-15" | .60 | | .50 |
| 100 | " | " | " | 15-18" | .75 | | .65 |
| 75 | " | horizontalis | | 12-15" | .55 | | .50 |
| 15 | " | japonica (upright) | | 12-15" | .75 | | |
| 150 | " | Sabina | | 15-18" | .90 | | .80 |
| 90 | " | " | | 1½-2' | 1.10 | | 1.00 |
| 50 | " | " | fastigiata, heavy l.o. | 3' | .95 | | .85 |
| 10 | " | " | von Ehron | 15-18" | 1.50 | | |
| 40 | " | squamata | Meyeri | 12-15" | 1.00 | | .85 |
| 25 | " | " | " | 1½-2' | 1.50 | | 1.40 |
| 12 | " | " | Wilsoni | 2-2½' | 1.50 | | |
| 35 | " | virginiana | Burki | 2-3' | 2.00 | | 1.90 |
| 10 | " | " | " | 3-4' | 3.00 | | |
| 12 | " | " | elegantissima | lee 2½-3' | 1.75 | | |
| 6 | " | " | glauca compacta | 4-4½' | 4.00 | | |
| 20 | " | " | globosa | 15-18" | 1.50 | | |
| 12 | " | " | Kosteri | 1½-2' | 1.50 | | |
| 100 | " | " | pyramidiformis | 2½-3' | 2.25 | | 2.10 |
| 40 | " | " | " | , perfect 3½-4' | 3.75 | | |
| 20 | PICEA | excelsa | | 3-3½' | 1.50 | | |
| 20 | " | pungens | | 8-10' | 10.00 | | |
| 30 | " | " | glauca | 8-10' | 12.00 | | |
| 30 | " | " | " | 10-12' | 18.00 | | |
| 50 | PINUS | nigra austriaca | | 1½-2' | 1.50 | | 1.40 |
| 30 | " | " | " | 2-2½' | 1.75 | | 1.60 |
| 50 | " | " | " | 2½-3' | 2.00 | | 1.90 |
| 20 | RETINOSPORA | Lawsoniana | Triomphe de Boskoop | 3-4' | 3.00 | | |
| 250 | TAXUS | cuspidata, well filled out | | 12-15" | 1.35 | | 1.25 |
| 250 | " | " | " | 15-18" | 1.75 | | 1.65 |
| 250 | " | " | " | 1½-2' | 2.65 | | 2.50 |
| 100 | " | " | " | 2-2½' | 3.25 | | 3.15 |

WE PROPAGATE THE NEW AND BETTER THINGS IN HARDY ORNAMENTALS

FINE EVERGREENS, cont'd

| | | | 10 | rate | C | rate |
|-----|-------|----------------------|--------|-------|------|------|
| | | | each | | each | |
| 500 | TAXUS | cuspidata brevifolia | 12-15" | 1.95 | | 1.85 |
| 100 | " | " | 15-18" | 2.75 | | 2.50 |
| 20 | " | " capitata | 2-2½' | 2.85 | | |
| 25 | " | " | 2½-3' | 4.00 | | 3.75 |
| 25 | " | " | 3-3½' | 4.75 | | 4.50 |
| 12 | " | " | 3½-4' | 6.25 | | |
| 70 | " | " Thayeri | 3-3½' | 9.50 | | |
| 50 | " | media | 3-3½' | 9.75 | | |
| 20 | " | " | 3½-4' | 10.50 | | |
| 200 | " | " Hatfieldi | 2-2½' | 3.25 | | 3.10 |
| 15 | THUYA | occidentalis | 2-3' | 1.25 | | 1.00 |
| 20 | " | " | 4-4½' | 2.95 | | |
| 15 | " | " Douglasi aurea | 12-18" | .75 | | |
| 40 | " | " filiformis | 15-18" | 1.10 | | 1.00 |
| 40 | " | " globosa | 2½x2½' | 2.25 | | 2.00 |
| 15 | " | " Ohlendorfi | | | | |
| | | (very dwarf) | 10-15" | .60 | | |
| 150 | " | " pyramidalis | 2½' | 1.75 | | 1.60 |
| 150 | " | " | 2½-3' | 1.95 | | 1.80 |
| 150 | " | " | 3-3½' | 2.25 | | 2.00 |
| 50 | " | " siborica | 2-2½' | 1.50 | | 1.40 |
| 45 | " | " | 3-4' | 2.25 | | 2.00 |
| 20 | " | plicata | 3' | 1.75 | | |

MALUS (Flowering Crabs)

| | | | | | | |
|-----|--|------------------|--------|------|--|------|
| 50 | BACCATA FRUCTO LUTEO, white fls., | | | | | |
| | | yellow fruit | 10-12' | 5.00 | | 3.00 |
| 35 | DARTMOUTH, white fls., reddish frt. | | 5-6' | .75 | | .65 |
| 40 | DOLGA, white fls., red frt. | | 4' | .50 | | .40 |
| 12 | " " " " " " | | 6-8' | 1.50 | | |
| 200 | ELEYI, wine red fls., deep red frt. | | 3-4' | .35 | | .30 |
| 30 | " " " " " " | | 8-10' | 5.00 | | 3.00 |
| 75 | " " " " " " | "8-10' & 10-12' | | 5.00 | | 3.00 |
| 50 | GLORIOSA, large rosy wine red fls., l.o. | 1½-2' | | .25 | | .20 |
| 75 | " " " " " " | 2-3 c 2-2½' | | .25 | | .20 |
| 50 | " " " " " " | 3-5 c 2½-3½' | | .30 | | .25 |
| 7 | " " " " " " | 3-4' | | .50 | | |
| 750 | " " " " " " | 4-5' | | .60 | | .55 |
| 25 | IOENSIS, single pink, very fragrant | | 5-6' | .50 | | .45 |
| 70 | " BECHTEL'S, double pink | | 2-3' | .30 | | .25 |
| 30 | JOHN DOWNI, yellow frt. with crimson | | | | | |
| | | blotch | 4-5' | .45 | | .40 |
| 300 | LEMOINEI, bright scarlet crimson fls. | | | | | |
| | | 2-3c 2-2½' | | .25 | | .20 |
| 300 | " " " " " " | 3-5c 2½-3½' | | .30 | | .25 |
| 375 | " " " " " " | 4-5' | | .50 | | .45 |
| 85 | MICROMALUS (Midget Crab), pink fls. | | 4-5' | .50 | | .45 |
| 12 | " " " " " " | | 6-7' | 1.00 | | |
| 100 | OEKONOMIENRAT ECHTERMEYER, wpg. from | | | | | |
| | | ground up | 3-4' | .35 | | .30 |
| 10 | PARKMANNI, double pink flow ers | | 4-5' | .75 | | |
| 45 | PRUNIFOLIA RINKI, peach pink fls., red | | | | | |
| | | and yellow fruit | 6-8' | .75 | | .70 |
| 18 | " " " " " " | "", heavy | 8-10' | 5.00 | | |
| 60 | PUMILA PENDULA (Weeping Crab) | | 2-3' | .30 | | .25 |
| 40 | " " " " " " | | | | | |
| | | , wpg. | | | | |
| | | from ground up | 4' | .60 | | .55 |
| 25 | ROBUSTA PERSICIFOLIA, white fls., red frt. | | 4' | .40 | | .35 |
| 75 | SARGENTI, white fls., small red frt. | | 2-3' | .30 | | .25 |
| 125 | SCHEIDECKERI, pink fls., yellow frt. | 5-8c | 3-4' | .45 | | .40 |
| 15 | THEIFERA (Tea Crab), light pink fls. | | 3-4' | .40 | | .35 |
| 90 | " " " " " " | | 5-6' | .60 | | .55 |
| 60 | ZUMI CALOCARPA, large pink and white | | | | | |
| | | flowers | 4-5' | .50 | | .45 |

SYRINGA (Hybrid French Lilacs)

Our lilacs are well branched out and on their own roots.

| | | | 10 rate each | C rate each |
|-----|--|-------|-----------------|----------------|
| 5 | ALEXANDER VON HUMBOLDT, double light blue | 2½-3' | .50 | |
| 10 | AUDRY, rose pink, new Prestoniae Hybrid | 3½-5' | 1.50 | |
| 11 | CANDEUR, single creamy white | 2-3' | 1.50 | |
| 50 | CAPITAINE PERRAULT, double rosy mauve | 1½-2' | .85 | |
| 6 | CLAUDE BERNARD, single mauve lilac | 3-4' | .50 | |
| 5 | DE JUSSIEU, bright blue, double | 2-2½' | .50 | |
| 10 | DIDEROT, single red | 2½-3' | .65 | |
| 135 | ETNA, single finest deep red | 1½-2' | .85 | |
| 95 | " " " " " " | 2-2½' | .95 | |
| 15 | FIRMAMENT, single sky blue | 2-3' | 1.50 | |
| 50 | GENERAL PERSHING, double purplish violet | 1½-2' | .75 | |
| 25 | HENRYI FLOREAL, mauve; specie Hybrid | 4-5' | .75 | |
| 40 | " " " " " " | 5-6' | .85 | |
| 80 | HUGO KOSTER, single lilac blue; improved Charles X | 2-2½' | .40 | |
| 100 | " " " " " " | 2½-3' | .45 | |
| 50 | JAN VAN TOL, single white | 2-2½' | .45 | |
| 35 | JEAN MACE, double lavender | 2-2½' | .35 | |
| 5 | " " " " " " | 3-4' | .55 | |
| 39 | MME. ANTOINE BUCHNER, double pink | 2½-3' | .45 | |
| 25 | " " " " " " | 3-3½' | .55 | |
| 200 | MME. FELIX, single white | 1½-2' | .35 | |
| 100 | " " " " " " | 2-2½' | .40 | |
| 60 | " " " " " " | 2½-3' | .45 | |
| 12 | MME. FLORENCE STEPMAN, single white | 2-3' | .40 | |
| 35 | MARIE LEGRAYE, single white | 1½-2' | .30 | |
| 100 | " " " " " " | 2-3' | .35 | |
| 50 | MASSENA, purple red | 1½-2' | .85 | .75 |
| 24 | MAXIME CORNU, double purplish white | 2-3' | .45 | |
| 15 | MONT BLANC, single white | 2' | .45 | |
| 7 | MONTESQUIEU, single purplish lilac | 3' | 1.00 | |
| 100 | OBIATA DILATA, early light pink; specie Hybrid | 2½-3' | .40 | .35 |
| 100 | " " " " " " | 3-3½' | .50 | .45 |
| 7 | PASCAL, single bluish | 3' | .45 | |
| 70 | PAUL DESCHANEL, double rosy mauve | 1½-2' | .85 | .75 |
| 132 | " " " " " " | 2-3' | 1.00 | .90 |
| 125 | ROTHOMAGENSIS (Chinese Lilac), deep lavender | 2½-3' | .30 | .25 |
| 100 | " " " " " " | 3-3½' | .35 | .30 |
| 25 | RUHM VON HORSTENSTEIN, single reddish violet | 2-2½' | .50 | .45 |
| | SWEGINZOWI ALBIDA, the large long tubed flowers with reflexed lobes are of a delicate pale pink passing to white. The flowers remind one of large trusses of pink pearls. l.o. | 2-3' | .30 | .25 |
| | " " " " " " std. | 3-4' | .35 | .30 |
| | " " " " " " , fieldgrown, bushy | 2-3' | .55 | .50 |
| 25 | WOLFI, lilac color; specie Hybrid | 2-3' | .45 | .40 |
| 25 | " " " " " " | 3-4' | .55 | .50 |

FLOWERING CHERRIES

| | | | | |
|-----|---|-------|------|------|
| 75 | AMANOGAWA, light pink semi-double fls. | 4' | .60 | .50 |
| 50 | KWANZAN, double old rose fls. | 2-3' | .45 | .40 |
| 75 | " " " " " " | 3-4' | .55 | .50 |
| 12 | " " " " " " | 5-6' | .75 | |
| 200 | " " " " " " | 8-10' | 5.00 | 3.00 |
| 45 | NADEN, double light pink fls. | 4-5' | .75 | .70 |
| 48 | SHIDARE HIGAN (Weeping Cherry), single pink | 3-4' | .95 | .85 |
| 170 | SHIROFUGEN, double pink | 4-5' | .65 | .60 |
| 25 | " " " " " " | 5-6' | .75 | |
| 45 | SUBHIRTELLA AUTUMNALIS, autumn flowering | 5-6' | .75 | |

SHADE TREES

| | | | 10 rate | C rate |
|-----|--------------------------|------------------------------------|---------|--------|
| | | | each | each |
| 134 | ACER platanoides | 1 $\frac{1}{4}$ -1 $\frac{1}{2}$ " | 2.25 | 2.00 |
| 34 | " Pseudo-Platanus | 1 $\frac{1}{4}$ -1 $\frac{1}{2}$ " | 3.00 | 2.95 |
| 10 | " " " purpureum | 1 $\frac{1}{4}$ -1 $\frac{1}{2}$ " | 4.00 | |
| 10 | BETULA alba laciniata | 6-7' | .90 | |
| 60 | " americana | 6-8' | .95 | .85 |
| 8 | " pyramidalis | 7-8' | 2.75 | |
| 2 | CARPINUS fastigiata | 8-10' | 7.50 | |
| 6 | FAGUS sylvatica purpurea | 5-6' | 5.00 | |
| 30 | POPULUS bolleana | 10-12' | .80 | .75 |
| 75 | " nigra italica | 6-7' | .30 | .25 |
| 125 | " " " | 10-12' | .45 | .40 |
| 225 | " Simoni | 6-7' | .35 | .30 |
| 125 | " " " | 10-12' | .90 | .80 |
| 50 | SALIX Niobe | 5-6' | .50 | .40 |
| 75 | " purpurea | heavy 2-2 $\frac{1}{2}$ ' | .35 | .30 |
| 75 | ULMUS Moline | 2-2 $\frac{1}{2}$ " | 2.90 | 2.75 |
| 100 | " parvifolia | bushy 4-5' | .50 | .40 |
| 100 | " " " | " 5-6' | .60 | .50 |

PACHYSANDRA terminalis

Individual plants, from shaded beds

6-8" \$5.00 p. C \$35.00 p. M
 8-10" \$6.00 p. C \$50.00 p. M

SHRUBS - Freshly dug

Our shrubs are properly grown, well bushed out,
 and can be used for the most particular trade.

| | | | | |
|-----|-----------------------------------|----------------------------------|-------|------|
| 100 | BERBERIS koreana | 2-2 $\frac{1}{2}$ ' | .35 | .30 |
| | " mentorensis | 15-18" 3.30 p. doz. | 20.00 | p. C |
| | " " " | 1 $\frac{1}{2}$ -2' 4.00 p. doz. | 25.00 | p. C |
| 85 | CARAGANA decorticans | 1 $\frac{1}{2}$ -2' | .20 | .18 |
| 95 | " " " | 2-3' | .30 | .25 |
| 100 | " frutescens | 1 $\frac{1}{2}$ -2' | .20 | .18 |
| 150 | " " " | 2 $\frac{1}{2}$ -3' | .30 | .25 |
| 100 | " " " | 3-4' | .35 | .30 |
| 55 | " " " | very heavy 5' | 1.00 | .90 |
| 500 | " lorbergi | 2-3' | .30 | .25 |
| 300 | " " " | 3-4' | .35 | .30 |
| 5 | " pendula | 1 $\frac{1}{2}$ -2' | .30 | |
| 65 | CORNUS mascula | 2-3' | .40 | .35 |
| 100 | COTONEASTER acutifolia | 1 $\frac{1}{2}$ -2' | .25 | .20 |
| 150 | " adpressa | 8-10" | .30 | .25 |
| 540 | " divaricata | 2-3' | .35 | .30 |
| 20 | CRATAEGUS cordata | 6-8' | 1.00 | |
| 40 | " monogyna stricta | 4-5' | .60 | .50 |
| 70 | " prunifolia | 3-4' | .40 | .35 |
| 50 | " " " | 4-5' | .50 | .45 |
| 200 | " punicio | 3-4' | .35 | .30 |
| 150 | DAPHNE mezereum | B&B branched 10-12 | .50 | .45 |
| 75 | " " " | B&B bushy 12-15" | .75 | .65 |
| 200 | DEUTZIA Lemoinei | 1 $\frac{1}{2}$ -2' | .30 | .25 |
| 55 | ELEAGNUS angustifolia | 5-6' | .55 | .50 |
| 75 | EUONYMUS europaeus | 3-3 $\frac{1}{2}$ ' | .35 | .30 |
| 200 | FORSYTHIA intermedia spectabilis | 3-4' | .30 | .25 |
| 165 | " primulina | 3-4' | .35 | .30 |
| 20 | " suspensa | 2-3' | .25 | |
| 40 | " " " | standard 1.00 | | |
| 160 | HYDRANGEA arborescens grandiflora | 1 $\frac{1}{2}$ -2' | .30 | .25 |
| 50 | " paniculata | " 1 $\frac{1}{2}$ -2' | .30 | .25 |
| 100 | " " " | " 2-2 $\frac{1}{2}$ ' | .35 | .30 |

THE
OFFICE OF THE
SECRETARY OF THE
NAVY
WASHINGTON, D. C.
JANUARY 1, 1900

TO THE
HONORABLE
MEMBERS OF THE
NAVY

100
150
200
250
300
350
400
450
500
550
600
650
700
750
800
850
900
950
1000
1050
1100
1150
1200
1250
1300
1350
1400
1450
1500
1550
1600
1650
1700
1750
1800
1850
1900
1950
2000
2050
2100
2150
2200
2250
2300
2350
2400
2450
2500
2550
2600
2650
2700
2750
2800
2850
2900
2950
3000
3050
3100
3150
3200
3250
3300
3350
3400
3450
3500
3550
3600
3650
3700
3750
3800
3850
3900
3950
4000
4050
4100
4150
4200
4250
4300
4350
4400
4450
4500
4550
4600
4650
4700
4750
4800
4850
4900
4950
5000
5050
5100
5150
5200
5250
5300
5350
5400
5450
5500
5550
5600
5650
5700
5750
5800
5850
5900
5950
6000
6050
6100
6150
6200
6250
6300
6350
6400
6450
6500
6550
6600
6650
6700
6750
6800
6850
6900
6950
7000
7050
7100
7150
7200
7250
7300
7350
7400
7450
7500
7550
7600
7650
7700
7750
7800
7850
7900
7950
8000
8050
8100
8150
8200
8250
8300
8350
8400
8450
8500
8550
8600
8650
8700
8750
8800
8850
8900
8950
9000
9050
9100
9150
9200
9250
9300
9350
9400
9450
9500
9550
9600
9650
9700
9750
9800
9850
9900
9950
10000

SHRUBS - Freshly dug, cont'd

| | | | 10 rate | C rate |
|-----|---------------------------------|-------------|-------------------------|------------|
| | | | each | each |
| 25 | ILEX verticillata | 2-2½' | .40 | |
| 200 | LONICERA bella albida | 5-6' | .35 | .30 |
| 150 | " " rosea | 2' | .20 | .15 |
| 100 | " fragrantissima heavy | 2-3' | .30 | .25 |
| 150 | " Morrowi | 3-4' | .30 | .25 |
| 100 | " sachalinensis | 3-4' | .30 | .25 |
| 50 | " tatarica rosea | 3-4' | .25 | .20 |
| 50 | " " " | 4-5' | .30 | .25 |
| 350 | " " rubra | 2-3' | .25 | .20 |
| 130 | " " " | 3-4' & 4-5' | .30 | .25 |
| 25 | " Xylosteuum | 3-3½' | .40 | .35 |
| 122 | PHILADELPHUS virginialis | 2-3' | .40 | .35 |
| 45 | PHOTINIA villosa | 2-2½' | .45 | .40 |
| 45 | " " " | 3-4' | .50 | .45 |
| 40 | " " " | 4-5' | .55 | .50 |
| 35 | PRUNUS cistena | 3-4' | .35 | .30 |
| 15 | " Clara Meyer | 4-5' | .60 | |
| 5 | " " " | standard | 1.00 | |
| 75 | " triloba | 4' stem " | .85 | .75 |
| 50 | RHAMNUS cathartica | 3-4' | .30 | .25 |
| 50 | " frangula | 4-5' | .35 | .30 |
| 20 | ROBINIA hispida | 2-3' | .35 | |
| 125 | SPIREA arguta | 3-4' | .30 | .25 |
| 75 | SYMPHORICARPOS Chonaulti | 3-4' | .30 | .25 |
| 50 | TAMARIX hispida aestivalis | 5-6' | .40 | .35 |
| 100 | VIBURNUM Carlesii | 15-18" | .95 | .85 |
| 50 | " dentatum | 2-3' | .30 | .25 |
| 50 | " molle | 2-3' | .35 | .30 |
| 50 | " " " | 3-4' | .40 | .35 |
| 25 | " Sieboldi | 2-2½' | .40 | .35 |
| 150 | " tomentosum | 2½-3' | .35 | .30 |
| | WEIGELA Bristol Ruby (pat. 492) | | | |
| | | 2-3' | 75¢ each, 7.50 p. doz., | 40.00 p. C |
| | | 3-4' | 90¢ each, 9.00 p. doz., | 50.00 p. C |

Large Bales Peatmoss \$3.90 each
 100 lb. bags Driconure \$2.90 each

BUSINESS TERMS: 25 plants of one variety at the 100 rate, 250 of one variety at the 1,000 rate. All quotations are subject to prior sale, and prices are subject to change without notice, f.o.b. Lansing, Michigan. 3% for cash with order, approved credit 2% ten days, 60 days net. Packing at cost.

THE COTTAGE GARDENS

N. I. W. Krick

LANSING, MICHIGAN

62.41

COLUMNAR NORWAY MAPLE

(Acer Platanoides Ascendens)

A "Streamlined Tree for City Planting." Also ideal as an accent plant, background or screen, and of course longer lived than Poplars. Narrow, upright habit or growth, Norway Maple foliage.

| | 10 rate each. | 100 rate each. |
|----------------------------|---------------|----------------|
| 6-7 feet whips | \$1.45 | \$1.40 |
| 6-7 feet slightly branched | 1.75 | 1.70 |
| 7-8 feet slightly branched | 1.95 | 1.90 |
| 8-9 feet slightly branched | 2.35 | 2.30 |

There probably will not be enough of these to go around and we suggest immediate ordering. Please give second choice in case size you order is sold out.

| NORWAY MAPLES (Acer Platanoides) | Each, 10 rate | 100 rate | 1000 rate |
|----------------------------------|---------------|----------|-----------|
| 8-9 feet whips | .75 | .74 | .72 |
| SCHWEDLER MAPLES, 8-9 feet whips | 1.45 | 1.40 | 1.35 |

F, O. B, Lansing, Michigan. Packing at cost.

The Cottage Gardens N. I. W. KRIEK
LANSING, MICHIGAN